



TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

AHM 1700

| TECHNICAL SPECIFICATIONS | | INTERNAL DIMENSIONS | |
|--------------------------|--------------------------------------|---------------------|-------------------|
| MODEL | AHM 1700 | Height | 670 mm |
| EQUIPMENT TYPE | Freezer | Depth | 690 mm |
| | | Width | 1560 mm |
| INNER TEMPERATURE RANGE | -24 °C / -16 °C -11,2 °F / 3,2 °F | INFO | |
| GROSS VOLUME | 653 l 23,06 Ft ³ | Lid/door Type | Lid - Glass |
| NET VOLUME | 602 l 21,26 Ft ³ | External coating | Pre Painted Sheet |
| EXTERNAL DIMENSIONS | | Internal coating | Pre Painted Sheet |
| Height | 980 mm | Wall Thickness | 70 mm |
| Depth | 850 mm | Climate Class | 4 |
| Width | 1700 mm | Freezing Capacity | N/A |



Imagem Indisponível
Imagem No Disponible
Unavailable Image

| ENERGETIC FEATURES | |
|-----------------------|-----------------------|
| VOLTAGE / FREQUENCY | 230V - 50Hz |
| NOMINAL CURRENT | 2,6 A |
| POWER | 349 W |
| CONSUMPTION | 8,5 kWh/24hr |
| ENERGY EFFICIENCY | - |
| COMPRESSOR PROTECTION | External - Bimetallic |
| NOISE LEVEL | <55 dB |
| ACCESSORIES | |
| BASKETS | 0 |
| DIVIDER | 4 |
| SHELVES | 0 |
| WATER DRAIN | Yes |
| WATER TRAY | No |
| THERMOMETER | Yes - Digital |
| LOCK | No |

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

| COMPONENTS | |
|--------------------|-----------------------|
| COMPRESSOR | Embraco |
| Modelo | NEU2155U |
| Displacement | 13,54 cm ³ |
| Rated Power | 410 W |
| CONDENSER | Ventilated |
| VENTILATORS | EBMPAPST |
| Model | M4Q045-CA03-51 |
| Power | 10 W |
| THERMOSTAT | Digital |
| REFRIGERANT | R290 |
| Quantity | 150 g 5,29 oz |
| Operating Pressure | 300 Psi |
| EVAPORATOR | Hidden |
| LIGHT | LED |
| Power | 22 W |

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

Ref. Reg.165

Review: 1

Date: 06/01/2015

AHM 1700 AD

| TECHNICAL SPECIFICATIONS | | INTERNAL DIMENSIONS | |
|--------------------------|--------------------------------------|---------------------|-------------------|
| MODEL | AHM 1700 AD | Height | 670 mm |
| EQUIPMENT TYPE | Freezer - Automatic Defrost | Depth | 690 mm |
| | | Width | 1560 mm |
| INNER TEMPERATURE RANGE | -24 °C / -16 °C -11,2 °F / 3,2 °F | INFO | |
| GROSS VOLUME | 653 l 23,06 Ft ³ | Lid/door Type | Lid - Glass |
| NET VOLUME | 602 l 21,26 Ft ³ | External coating | Pre Painted Sheet |
| EXTERNAL DIMENSIONS | | Internal coating | Pre Painted Sheet |
| Height | 980 mm | Wall Thickness | 70 mm |
| Depth | 850 mm | Climate Class | 4 |
| Width | 1700 mm | Freezing Capacity | N/A |



Imagem Indisponível
Imagem No Disponible
Unavailable Image

| ENERGETIC FEATURES | |
|-----------------------|-----------------------|
| VOLTAGE / FREQUENCY | 230V - 50Hz |
| NOMINAL CURRENT | 2,71 A |
| POWER | 365 W |
| CONSUMPTION | 8,8 kWh/24hr |
| ENERGY EFFICIENCY | - |
| COMPRESSOR PROTECTION | External - Bimetallic |
| NOISE LEVEL | <55 dB |
| ACCESSORIES | |
| BASKETS | 0 |
| DIVIDER | 4 |
| SHELVES | 0 |
| WATER DRAIN | Yes |
| WATER TRAY | Yes |
| THERMOMETER | Yes - Digital |
| LOCK | No |

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

| COMPONENTS | |
|--------------------|-----------------------|
| COMPRESSOR | Embraco |
| Modelo | NEU2155U |
| Displacement | 13,54 cm ³ |
| Rated Power | 410 W |
| CONDENSER | Ventilated |
| VENTILATORS | EBMPAPST |
| Model | M4Q045-CA03-51 |
| Power | 10 W |
| THERMOSTAT | Digital |
| REFRIGERANT | R290 |
| Quantity | 150 g 5,29 oz |
| Operating Pressure | 300 Psi |
| EVAPORATOR | Hidden |
| LIGHT | LED |
| Power | 22 W |

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

AHM 1700 ADVS

Ref. Reg.165
Review: 1
Date: 06/01/2015

| TECHNICAL SPECIFICATIONS | | INTERNAL DIMENSIONS | |
|--------------------------|---|---------------------|-------------------|
| MODEL | AHM 1700 ADVS | Height | 670 mm |
| EQUIPMENT TYPE | Freezer - Automatic Defrost Variable Speed | Depth | 690 mm |
| | | Width | 1560 mm |
| INNER TEMPERATURE RANGE | -24 °C / -16 °C -11,2 °F / 3,2 °F | INFO | |
| GROSS VOLUME | 653 l 23,06 Ft ³ | Lid/door Type | Lid - Glass |
| NET VOLUME | 602 l 21,26 Ft ³ | External coating | Pre Painted Sheet |
| EXTERNAL DIMENSIONS | | Internal coating | Pre Painted Sheet |
| Height | 980 mm | Wall Thickness | 70 mm |
| Depth | 850 mm | Climate Class | 4 |
| Width | 1700 mm | Freezing Capacity | N/A |



Imagem Indisponível
Imagen No Disponible
Unavailable Image

| ENERGETIC FEATURES | |
|-----------------------|-----------------------|
| VOLTAGE / FREQUENCY | 220/230V - 50/60Hz |
| NOMINAL CURRENT | 2,21 A |
| POWER | 405 W |
| CONSUMPTION | 7,3 kWh/24hr |
| ENERGY EFFICIENCY | - |
| COMPRESSOR PROTECTION | External - Bimetallic |
| NOISE LEVEL | <55 dB |
| ACCESSORIES | |
| BASKETS | 0 |
| DIVIDER | 4 |
| SHELVES | 0 |
| WATER DRAIN | Yes |
| WATER TRAY | Yes |
| THERMOMETER | Yes - Digital |
| LOCK | No |

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

| COMPONENTS | |
|--------------------|-----------------------|
| COMPRESSOR | Danfoss |
| Modelo | SLV15CNX.2 |
| Displacement | 15,28 cm ³ |
| Rated Power | 607 W |
| CONDENSER | Ventilated |
| VENTILATORS | EBMPAPST |
| Model | M4Q045-CA03-51 |
| Power | 10 W |
| THERMOSTAT | Digital |
| REFRIGERANT | R290 |
| Quantity | 150 g 5,29 oz |
| Operating Pressure | 300 Psi |
| EVAPORATOR | Hidden |
| LIGHT | LED |
| Power | 22 W |

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

Ref. Reg.165

Review: 1

Date: 06/01/2015

AHM 1700 VCC

| TECHNICAL SPECIFICATIONS | | INTERNAL DIMENSIONS | |
|--------------------------|---|---------------------|-------------------|
| MODEL | AHM 1700 VCC | Height | 670 mm |
| EQUIPMENT TYPE | Freezer - Automatic Defrost Variable Speed | Depth | 690 mm |
| | | Width | 1560 mm |
| INNER TEMPERATURE RANGE | -24 °C / -16 °C -11,2 °F / 3,2 °F | INFO | |
| GROSS VOLUME | 653 l 23,06 Ft ³ | Lid/door Type | Lid - Glass |
| NET VOLUME | 602 l 21,26 Ft ³ | External coating | Pre Painted Sheet |
| EXTERNAL DIMENSIONS | | Internal coating | Pre Painted Sheet |
| Height | 980 mm | Wall Thickness | 70 mm |
| Depth | 850 mm | Climate Class | 4 |
| Width | 1700 mm | Freezing Capacity | N/A |



Imagem Indisponível
Imagen No Disponible
Unavailable Image

| ENERGETIC FEATURES | |
|-----------------------|--------------------------|
| VOLTAGE / FREQUENCY | 220/230V - 50/60Hz |
| NOMINAL CURRENT | 2,82 (F) 2,68 (C) A |
| POWER | 369 (F) 342 (C) W |
| CONSUMPTION | 5,3 (F) 3,0 (C) kWh/24hr |
| ENERGY EFFICIENCY | - |
| COMPRESSOR PROTECTION | External - Bimetallic |
| NOISE LEVEL | <55 dB |
| ACCESSORIES | |
| BASKETS | 0 |
| DIVIDER | 4 |
| SHELVES | 0 |
| WATER DRAIN | Yes |
| WATER TRAY | Yes |
| THERMOMETER | Yes - Digital |
| LOCK | No |

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

| COMPONENTS | |
|--------------------|-----------------------|
| COMPRESSOR | Embraco |
| Modelo | VNEK213U |
| Displacement | 13,54 cm ³ |
| Rated Power | 670 W |
| CONDENSER | Ventilated |
| VENTILATORS | EBMPAPST |
| Model | M4Q045-CA03-51 |
| Power | 10 W |
| THERMOSTAT | Digital |
| REFRIGERANT | R290 |
| Quantity | 150 g 5,29 oz |
| Operating Pressure | 300 Psi |
| EVAPORATOR | Hidden |
| LIGHT | LED |
| Power | 22 W |

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved