



# FICHA TÉCNICA

## AHM 2200

Refª. Reg.165

Revisão: 1

Data: 06/01/2015

ESPECIFICAÇÕES TÉCNICAS		DIMENSÕES INTERIORES	
MODELO	AHM 2200	Altura	670 mm
TIPO DE EQUIPAMENTO	Conservador	Profundidade	690 mm
		Largura	2060 mm
TEMPERATURA DE FUNCIONAMENTO	-24 °C / -16 °C	INFO	
VOLUME BRUTO	863 l	Tipo de tampa / porta	Tampa - Vidro
VOLUME LÍQUIDO	725 l	Revestimento externo	Chapa Pré Pintada
DIMENSÕES EXTERIORES		Revestimento interno	Chapa Pré Pintada
Altura	980 mm	Espessura da Parede	70 mm
Profundidade	850 mm	Classe Climática	4
Largura	2200 mm	Capacidade de Congelação	N/A



Imagem Indisponível  
Imagen No Disponible  
Unavailable Image

CARACTERÍSTICAS ENERGÉTICAS	
TENSÃO / FREQUÊNCIA	230V - 50Hz
CORRENTE NOMINAL	2,95 A
POTÊNCIA	410 W
CONSUMO	9,84 kWh/24hr
EFICIÊNCIA ENERGÉTICA	-
PROTEÇÃO DO COMPRESSOR	Externa - Bimetálica
NÍVEL DE RUÍDO	<55 dB
ACESSÓRIOS	
CESTOS	0
DIVISÓRIAS	4
PRATELEIRAS	0
DRENAGEM DE ÁGUA	Sim
APARA ÁGUAS	Não
TERMÓMETRO	Sim - Digital
FECHADURA	Não

Aprovado por:

Data: 12/01/2016

Documento não controlado quando impresso ou copiado.

COMPONENTES	
COMPRESSOR	Embraco
Modelo	NT2168U
Cilindrada	16,8 cm <sup>3</sup>
Potência Nominal	516 W
CONDENSADOR	Ventilado
VENTILADOR	EBMPAPST
Modelo	M4Q045-CA03-51
Potência	10 W
TERMÓSTATO	Digital
REFRIGERANTE	R290
Quantidade	150 g
Pressão de trabalho	300 Psi
EVAPORADOR	Oculto
ILUMINAÇÃO	LED
Potência	31 W

Ficha Técnica meramente informativa e sujeita a alterações dos dados técnicos, não pode ser usada como documento contratual

© Todos os Direitos Reservados

35



# TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

## AHM 2200 AD

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 2200 AD	Height	670 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost	Depth	690 mm
		Width	2060 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	863 l   30,48 Ft <sup>3</sup>	Lid/door Type	Lid - Glass
NET VOLUME	725 l   25,6 Ft <sup>3</sup>	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	980 mm	Wall Thickness	70 mm
Depth	850 mm	Climate Class	4
Width	2200 mm	Freezing Capacity	N/A



Imagem Indisponível  
Imagem No Disponible  
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	230V - 50Hz
NOMINAL CURRENT	4,22 A
POWER	385 W
CONSUMPTION	10,7 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Embraco
Modelo	NT2168U
Displacement	16,8 cm <sup>3</sup>
Rated Power	516 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g   5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	31 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



# TECHNICAL CARD

## AHM 2200 ADVS

Ref: Reg.165

Review: 1

Date: 06/01/2015

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 2200 ADVS	Height	670 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	690 mm
		Width	2060 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	863 l   30,48 Ft <sup>3</sup>	Lid/door Type	Lid - Glass
NET VOLUME	725 l   25,6 Ft <sup>3</sup>	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	980 mm	Wall Thickness	70 mm
Depth	850 mm	Climate Class	4
Width	2200 mm	Freezing Capacity	N/A



Imagem Indisponível  
Imagen No Disponible  
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	2,32 A
POWER	432 W
CONSUMPTION	8,4 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Danfoss
Modelo	SLV15CNX.2
Displacement	15,28 cm <sup>3</sup>
Rated Power	607 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g   5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	31 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



# TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

## AHM 2200 VCC

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 2200 VCC	Height	670 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	690 mm
		Width	2060 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	863 l   30,48 Ft <sup>3</sup>	Lid/door Type	Lid - Glass
NET VOLUME	725 l   25,6 Ft <sup>3</sup>	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	980 mm	Wall Thickness	70 mm
Depth	850 mm	Climate Class	4
Width	2200 mm	Freezing Capacity	N/A



Imagem Indisponível  
Imagen No Disponible  
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	3,02 (F) 2,87 (C) A
POWER	398 (F) 372 (C) W
CONSUMPTION	5,9 (F) 3,9 (C) kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Embraco
Modelo	VNEK213U
Displacement	13,54 cm <sup>3</sup>
Rated Power	670 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g   5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	31 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved