



TECHNICAL CARD

Ref. Reg.165
Review: 1
Date: 06/01/2015

AHM 1700 LSL

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1700 LSL	Height	615 mm
EQUIPMENT TYPE	Freezer	Depth	720 mm
		Width	1560 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	585 l 20,66 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	532 l 18,79 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	840 mm	Wall Thickness	70 mm
Depth	880 mm	Climate Class	4
Width	1700 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagen No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	230V - 50Hz
NOMINAL CURRENT	2,3 A
POWER	323 W
CONSUMPTION	6,9 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External – Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

COMPONENTS	
COMPRESSOR	Embraco
Modelo	NEU2155U
Displacement	13,54 cm ³
Rated Power	410 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	10 W

Approved by:
Date: 12/01/2016
Document uncontrolled when printed or copied.

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

Ref. Reg.165

Review: 1

Date: 06/01/2015

AHM 1700 LSL AD

TECHNICAL SPECIFICATIONS	
MODEL	AHM 1700 LSL AD
EQUIPMENT TYPE	Freezer - Automatic Defrost
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F
GROSS VOLUME	585 l 20,66 Ft ³
NET VOLUME	532 l 18,79 Ft ³
EXTERNAL DIMENSIONS	
Height	840 mm
Depth	880 mm
Width	1700 mm

INTERNAL DIMENSIONS	
Height	615 mm
Depth	720 mm
Width	1560 mm
INFO	
Lid/door Type	Lid - Glass
External coating	Pre Painted Sheet
Internal coating	Pre Painted Sheet
Wall Thickness	70 mm
Climate Class	4
Freezing Capacity	N/A



Imagem Indisponível
Imagem No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	230V - 50Hz
NOMINAL CURRENT	2,3 A
POWER	340 W
CONSUMPTION	7,1 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External – Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

COMPONENTS	
COMPRESSOR	Embraco
Modelo	NEU2155U
Displacement	13,54 cm ³
Rated Power	410 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	10 W

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

AHM 1700 LSL ADVS

Ref. Reg.165

Review: 1

Date: 06/01/2015

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1700 LSL ADVS	Height	615 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	720 mm
		Width	1560 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	585 l 20,66 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	532 l 18,79 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	840 mm	Wall Thickness	70 mm
Depth	880 mm	Climate Class	4
Width	1700 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagen No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	1,5 A
POWER	310 W
CONSUMPTION	4,6 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Danfoss
Modelo	SLV15CNX.2
Displacement	15,28 cm ³
Rated Power	607 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	10 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved

1/11



TECHNICAL CARD

Ref. Reg.165

Review: 1

Date: 06/01/2015

AHM 1700 LSL VCC

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1700 LSL VCC	Height	615 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	720 mm
		Width	1560 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	585 l 20,66 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	532 l 18,79 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	840 mm	Wall Thickness	70 mm
Depth	880 mm	Climate Class	4
Width	1700 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagen No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	1,4 A
POWER	285 W
CONSUMPTION	4,4 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External – Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Embraco
Modelo	VNEK213U
Displacement	13,54 cm ³
Rated Power	670 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	10 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved