



TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

AHM 1940 LSL

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1940 LSL	Height	560 mm
EQUIPMENT TYPE	Freezer	Depth	660 mm
		Width	1785 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	623 l 22 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	574 l 20,27 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	765/905 mm	Wall Thickness	70 mm
Depth	870 mm	Climate Class	4
Width	1970 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagen No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	230V - 50Hz
NOMINAL CURRENT	2,6 A
POWER	325 W
CONSUMPTION	7,2 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Embraco
Modelo	NEU2155U
Displacement	13,54 cm ³
Rated Power	410 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	13 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved

091



TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

AHM 1940 LSL AD

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1940 LSL AD	Height	560 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost	Depth	660 mm
		Width	1785 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	623 l 22 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	574 l 20,27 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	765/905 mm	Wall Thickness	70 mm
Depth	870 mm	Climate Class	4
Width	1970 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagem No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	230V - 50Hz
NOMINAL CURRENT	2,6 A
POWER	350 W
CONSUMPTION	7,3 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

COMPONENTS	
COMPRESSOR	Embraco
Modelo	NEU2155U
Displacement	13,54 cm ³
Rated Power	410 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	13 W

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

AHM 1940 LSL ADVS

Ref: Reg.165
 Review: 1
 Date: 06/01/2015

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1940 LSL ADVS	Height	560 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	660 mm
		Width	1785 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	623 l 22 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	574 l 20,27 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	765/905 mm	Wall Thickness	70 mm
Depth	870 mm	Climate Class	4
Width	1970 mm	Freezing Capacity	N/A



Imagem Indisponível
 Imagen No Disponible
 Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	1,45 A
POWER	320 W
CONSUMPTION	4,7 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

COMPONENTS	
COMPRESSOR	Danfoss
Modelo	SLV15CNX.2
Displacement	15,28 cm ³
Rated Power	607 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	13 W

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved



TECHNICAL CARD

Ref: Reg.165

Review: 1

Date: 06/01/2015

AHM 1940 LSL VCC

TECHNICAL SPECIFICATIONS		INTERNAL DIMENSIONS	
MODEL	AHM 1940 LSL VCC	Height	560 mm
EQUIPMENT TYPE	Freezer - Automatic Defrost Variable Speed	Depth	660 mm
		Width	1785 mm
INNER TEMPERATURE RANGE	-24 °C / -16 °C -11,2 °F / 3,2 °F	INFO	
GROSS VOLUME	623 l 22 Ft ³	Lid/door Type	Lid - Glass
NET VOLUME	574 l 20,27 Ft ³	External coating	Pre Painted Sheet
EXTERNAL DIMENSIONS		Internal coating	Pre Painted Sheet
Height	765/905 mm	Wall Thickness	70 mm
Depth	870 mm	Climate Class	4
Width	1970 mm	Freezing Capacity	N/A



Imagem Indisponível
Imagem No Disponible
Unavailable Image

ENERGETIC FEATURES	
VOLTAGE / FREQUENCY	220/230V - 50/60Hz
NOMINAL CURRENT	1,5 A
POWER	297 W
CONSUMPTION	4,5 kWh/24hr
ENERGY EFFICIENCY	-
COMPRESSOR PROTECTION	External - Bimetallic
NOISE LEVEL	<55 dB
ACCESSORIES	
BASKETS	0
DIVIDER	4
SHELVES	0
WATER DRAIN	Yes
WATER TRAY	Yes
THERMOMETER	Yes - Digital
LOCK	No

Approved by:

Date: 12/01/2016

Document uncontrolled when printed or copied.

COMPONENTS	
COMPRESSOR	Embraco
Modelo	VNEK213U
Displacement	13,54 cm ³
Rated Power	670 W
CONDENSER	Ventilated
VENTILATORS	EBMPAPST
Model	M4Q045-CA03-51
Power	10 W
THERMOSTAT	Digital
REFRIGERANT	R290
Quantity	150 g 5,29 oz
Operating Pressure	300 Psi
EVAPORATOR	Hidden
LIGHT	LED
Power	13 W

This leaflet is merely informative and subject to changes in technical data, and may not be used as a contractual document.

©All Rights Reserved